

**NOTE:**  
THIS FLASHING DETAIL DOES NOT WARRANT AGAINST  
LEAKS THAT MAY OCCUR DUE TO WATER INFILTRATION  
THROUGH ADJACENT UNTREATED CONCRETE OR  
MATERIALS BY OTHERS TO REMAIN (TYP.)

EXTEND ALSAN RS W.P.  
12" MINIMUM PAST LINE OF  
OCCUPIED SPACE BELOW  
WHERE APPLICABLE.

PREPARE, LEVEL & PATCH SUBSTRATE W/  
ALSAN RS MORTAR AFTER PRIMING & PRIOR  
TO APPLYING ALSAN RS MEMBRANE.

ALSAN RS MORTAR W/ACCEPTABLE ALSAN RS  
TRAFFIC SURFACING APPLIED CONTINUOUSLY  
OVER ALSAN RS MEMBRANE (TYP.)

ALSAN RS MEMBRANE APPLIED CONTINUOUSLY  
OVER PREPARED & PRIMED SUBSTRATE (TYP.)

6" WIDE ALSAN RS MEMBRANE STRIP-PRESATURATE  
EDGE OF FLEECE W/ RESIN & TUCK INTO 1" MIN.  
DEEP SAW-CUT REGLET (TYP.)

BEVEL SLAB AS REQUIRED SO LEADING EDGE  
OF ALSAN RS SYSTEM IS FLUSH W/ CONCRETE.


4" (10 cm)  
(MIN.)

ALSAN RS PRIMER OR APPROVED  
MOISTURE MITIGATION PRIMER APPLIED  
TO PREPARED SUBSTRATE (TYP.)

NOTE: REFER TO SOPREMA RELATED PUBLISHED DOCUMENTATION, PRODUCT DATA SHEETS (PDS) & SAFETY DATA SHEETS (SDS) FOR ADDITIONAL INFORMATION. ALL DETAIL DRAWINGS & RELATED INSTALLATION GUIDELINES ARE PROVIDED BY SOPREMA FOR THE SOLE PURPOSE OF SOPREMA WARRANTY QUALIFICATION. ACCORDINGLY, ANY DETAILS DRAWINGS PROVIDED ARE NOT OFFERED AND SHOULD NOT BE CONSIDERED A SUBSTITUTE FOR PROFESSIONAL DESIGN SERVICES. USAGE OF THIS DRAWING IS GOVERNED BY THE TERMS OF SERVICE FOR SOPREMA DETAIL, PLEASE CONSULT THESE TERMS OF SERVICE PRIOR TO UTILIZING THIS DRAWING.

## ALSAN RS WATERPROOFING & SURFACING LEADING EDGE TERMINATION

DRAWING NO.:  
**RS-RE1**



REVISION  
0

ISSUE DATE  
11-5-2018

SCALE  
N.T.S.

DRAWN BY  
DRW

RS\_TR\_E01