

STONE, TILES OR CONC. PAVER CEMENTITIOUS SETTING BED OVER MEMBRANE.

ACCEPTABLE MINERAL AGGREGATE SURFACING BROADCAST INTO WET SOPREMA ALSAN RS BOND/WEARING COAT. (IF DRAINAGE MAT NOT USED)

SOPREMA ALSAN RS BOND/WEARING COAT


SOPREMA ALSAN RS PRIMER APPLIED TO SUBSTRATE. (IF REQUIRED)

SOPREMA ALSAN RS MEMBRANE

APPROVED SUBSTRATE PREPARED PER SOPREMA REQUIREMENTS.

NOTES:

1. DETAIL TO BE USED IN CONJUNCTION WITH SOPREMA GENERAL REQUIREMENTS, APPLICATION METHODS AND APPROVED DETAILS.
2. MINERAL AGGREGATE SURFACING NOT REQUIRED WHEN OPTIONAL DRAINAGE MAT IS USED.

		310 QUADRAL DRIVE WADSWORTH, OHIO 44281 (330) 334-0066	
		TITLE PLAZA WATERPROOFING ASSEMBLY	
SCALE	DWN	CHK	APPROVAL DATE
NONE	DMT	MT	3/20/07
DRAWING NUMBER			REV
A-7-RS			0

** USAGE OF THIS DRAWING IS GOVERNED BY THE TERMS OF SERVICE FOR SOPREMA DETAIL. PLEASE CONSULT THESE TERMS OF SERVICE PRIOR TO UTILIZING THIS DRAWING.