


NOTES:

1. DETAIL TO BE USED IN CONJUNCTION WITH SOPREMA GENERAL REQUIREMENTS, APPLICATION METHODS AND APPROVED DETAILS.
2. CONCRETE SUBSTRATE MUST BE PRIMED PRIOR TO THE INSTALLATION OF NEW MATERIALS.
3. COLPHENE 3000 (SELF-ADHERED MEMBRANE) SHALL BE INSTALLED PER SOPREMA TECHICAL REQUIREMENTS AND APPROVED DETAILS.

|  |      |                       |           |
|--|------|-----------------------|-----------|
|  |      | 310 QUADRAL DRIVE     |           |
|  |      | WADSWORTH, OHIO 44281 |           |
|  |      | (330) 334-0066        |           |
| TITLE COLPHENE H TIE-IN (w/ COLPHENE 3000)   |      |                       |           |
| SCALE  | NONE | DWN<br>TM             | CHK<br>GP |
| DRAWING NUMBER   |      | APPROVAL DATE         |           |
| BGW-9  |      | 04/28/10              |           |
|  |      |                       | REV<br>0  |

\*\* USAGE OF THIS DRAWING IS GOVERNED BY THE TERMS OF SERVICE FOR SOPREMA DETAIL. PLEASE CONSULT THESE TERMS OF SERVICE PRIOR TO UTILIZING THIS DRAWING.