


SOPRADRAIN (RECOMMENDED) OR SOPREMA APPROVED ALTERNATE



COLPHENE H 215 mils SYSTEM WITH REINFORCEMENT

APPROVED DRAIN ASSEMBLY WITH DEBRIS SCREEN AND WATERPROOFED DECK LEVEL CLAMPING RING

CONCRETE DECK SUMPED TO DRAIN

SOPRA-FLASH UN TARGET PLY CENTERED OVER DRAIN MIN. 6" PAST CLAMPING RING ON ALL SIDES.

EXTRUDED POLYSTYRENE INSULATION PER SPECIFIER

COLPHENE SANDED, COLPHENE 180 SANDED OR OTHER SOPREMA APPROVED PROTECTION COURSE

AGGREGATE ENCLOSED IN SOPRAFILTER FABRIC, MICROFAB ROOT BARRIER OR SOPREMA APPROVED ALTERNATE

INSULATION & TOPPING SLAB

NOTES:

1. DETAIL TO BE USED IN CONJUNCTION WITH SOPREMA GENERAL REQUIREMENTS, APPLICATION METHODS AND APPROVED DETAILS.
2. CLAMPING RING MUST BE INSTALLED WHILE MEMBRANE IS STILL HOT.
3. DETAIL TO BE USED IN CONJUNCTION WITH SOPREMA GENERAL REQUIREMENTS, APPLICATION METHODS AND APPROVED DETAILS.

		310 QUADRAL DRIVE	
		WADSWORTH, OHIO 44281	
		(330) 334-0066	
TITLE			
MULTI-STAGE (BI-LEVEL) DRAIN			
SCALE	DWN	CHK	APPROVAL DATE
NONE	TM	JP	12/29/09
DRAWING NUMBER			REV
HRW-201A			0

\*\* USAGE OF THIS DRAWING IS GOVERNED BY THE TERMS OF SERVICE FOR SOPREMA DETAIL. PLEASE CONSULT THESE TERMS OF SERVICE PRIOR TO UTILIZING THIS DRAWING.