

SOPRASEAL LM203

SOPRASEAL STICK 1100T OR
SOPRASOLIN HD
FLASHING MEMBRANE

INSULATION


SOPRASEAL JOINT REINFORCEMENT
MEMBRANE

CLADDING

MASONRY WALL

SOPRASEAL SEALANT

STRUCTURE



SOPRASEAL LM203

INSULATION

SOPRASEAL SEALANT

SOPRASEAL STICK 1100T OR
SOPRASOLIN HD
FLASHING MEMBRANE

CLADDING (BRICK)

SOPRASEAL JOINT REINFORCEMENT MEMBRANE

SOPREMA APPROVED INSULATION ADHESIVE

MASONRY WALL

STRUCTURE

NOTES:

1. DETAIL TO BE USED IN CONJUNCTION WITH SOPREMA GENERAL REQUIREMENTS AND APPROVED DETAILS.
2. AIR/VAPOR RETARDER TYPE AND PLACEMENT REQUIREMENTS ARE TO BE DETERMINED BY THE SPECIFIER
3. APPLY ELASTOCOL PRIMER ON AREA OF JOINT TO RECEIVE THE SOPRASEAL JOINT REINFORCEMENT MEMBRANE.



310 QUADRAL DRIVE
WADSWORTH, OHIO 44281
(330) 334-0066

TITLE			
SOPRASEAL LM203 MASONRY WALL FLOOR JUNCTION			
SCALE	DWN	CHK	APPROVAL DATE
N.T.S.	TM	JG	02/11/16
DRAWING NUMBER			REV
ABLM203008			0

** USAGE OF THIS DRAWING IS GOVERNED BY THE TERMS OF SERVICE FOR SOPREMA DETAIL. PLEASE CONSULT THESE TERMS OF SERVICE PRIOR TO UTILIZING THIS DRAWING.