

# COLPLY EF ADHESIVE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/15/2015

Revision date: 09/01/2016

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : COLPLY EF ADHESIVE

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Polymeric, solvent free, low VOC membrane adhesive

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer:  
SOPREMA, INC.  
310 Quadral Dr.  
Wadsworth, OH 44281  
Tel: 1-800-356-3521

Distributors:  
SOPREMA Canada  
1675 Haggerty Street  
Drummondville (Quebec) J2C 5P7  
Tel: 1-819-478-8163

SOPREMA Canada  
44955 Yale Road West  
Chilliwack (BC) V2R 4H3  
CANADA  
Tel: 1-604-793-7100

SOPREMA USA  
12251 Seaway Road  
Gulfport (Mississippi) 39507  
UNITED STATES  
Tel: 1-228-701-1900

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC 1-800-434-9300 (Acct.# CCN20515). CANUTEC 1-613-996-6666

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS-US)

Irritant Category 2

#### 2.2. Label elements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



GHS07

Signal word (GHS-US) : Warning  
Hazard statements (GHS-US) : H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation

Precautionary statements (GHS-US) : P273 - Avoid release to the environment  
P280 - Wear protective gloves/protective clothing/eye protection  
P302+P352 - IF ON SKIN: Wash with plenty of soap and hot water  
P305+P351 - IF IN EYES: Rinse cautiously with water for several minutes.  
+P338 - Remove contact lenses, if present and easy to do. Continue rinsing.  
P501 - Dispose of contents/container in accordance with local regulation.

# COLPLY EF ADHESIVE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

R-phrases	R38 Irritating to skin R41 Risk of serious damage to eyes. R43 May cause sensitization by skin contact.
S-phrases	S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S39 Wear eye/face protection

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS-US)

No data available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%
Asphalt	(CAS No) 8052-42-4	5-10
Amino silane	(CAS No) 1760-24-3	1-3

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	: An unlikely route of entry. Remove to fresh air. Consult a physician.
First-aid measures after skin contact	: Clean product from affected area with Ethyl alcohol, then wash with soap and water.
First-aid measures after eye contact	: Flush with large amounts of water for at least 15 minutes. Consult a Physician if ill effects or irritation occurs.
First-aid measures after ingestion	: An unlikely route of entry. Consult a physician.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: No information available
Symptoms/injuries after inhalation	: No information available
Symptoms/injuries after skin contact	: No information available

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray.
Unsuitable extinguishing media	: No information available

### 5.2. Special hazards arising from the substance or mixture

Hazardous Combustion Products	: Thermal decomposition may produce toxic fumes of Carbon Monoxide, Carbon dioxide, Sulfur oxides and Hydrogen
Unusual Fire and Explosion Hazards	: None
Flashpoint	: Not applicable
Upper flammable limit	: Not applicable
Lower flammable limit	: Not applicable
Autoignition temperature	: Not applicable
Sensitivity to impact	: Not applicable
Sensitivity to static discharge	: Not applicable

### 5.3. Advice for firefighters

Firefighting instructions	: Full emergency equipment with self-contained breathing apparatus and full protective clothing should be worn by firefighters.
---------------------------	---

# COLPLY EF ADHESIVE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment : Use personal protection recommended in section 8. Avoid eye, skin and clothing contact.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spill with absorbent material such as cardboard, allow to cure and place into a container approved for waste disposal.

#### 6.4. Reference to other sections

Follow applicable OSHA regulations (29 CFR 1910.120).

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Use personal protection recommended in section 8. Avoid eye, skin and clothing contact.

Hygiene measures : Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a cool dry area (this product polymerizes when in contact with moisture.)

Incompatible products : No information available

Incompatible materials : No information available

#### 7.3. Specific end use(s)

Product is not considered flammable under normal conditions, and product is not considered explosive

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No information available

#### 8.2. Exposure controls

Hand protection : Wear impervious gloves such as vinyl to minimize contact with skin.

Eye protection : Wear safety glasses or goggles to avoid eye contact.

Skin and body protection : Wear impervious gloves such as vinyl to minimize contact with skin.

Environmental exposure control : No specific controls are needed.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Paste

Appearance : Paste

Color : Brown

Odor : Mild mint scent

Odor threshold : No data available

pH : No data available

Relative evaporation rate (butyl acetate=1) : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapor pressure : <1

# COLPLY EF ADHESIVE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative vapor density at 20 °C (air=1)	: >1
Density	11.31 lb/gal (calculated)
Specific Gravity	: ≈ 1.36
Solubility	: Insoluble in water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

VOC content	: <35 g/l
%Volatile	2.30%

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Considered stable

### 10.2. Chemical stability

Considered stable

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

None known

### 10.5. Incompatible materials

None known

### 10.6. Hazardous decomposition products

May produce toxic fumes of CO and/or CO<sub>2</sub>

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Amino silane (1760-24-3)	
Oral – Result:	LD50 > 2000 mg/kg. Remark: Very low order of toxicity.
Skin Absorption – Result:	LD50 > 2,000 mg/kg. Remark: Very low order of toxicity.
Skin Direct contact – Result:	Slight irritation.
Eye Direct contact – Result:	Severe irritation. Remark: Causes corneal injury.
Inhalation – Result:	LC50 Not acutely Toxic.
Exposure Limits –	Not applicable.
Sensitization –	No.
Reproductive Toxicity –	No.
Mutagenicity –	No.
Teratogenicity –	No.
Synergistic Products –	None.

### COLPLY EF ADHESIVE

Carinogenicity	This product contains no ingredient listed as a carcinogen on California Proposition 65 list.
----------------	---

## SECTION 12: Ecological information

### 12.1. Toxicity

No known applicable information

# COLPLY EF ADHESIVE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Effect on ozone layer : No additional information available

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. This product becomes a firm synthetic rubber when cured. Please allow to cure before disposal. Dispose in a safe manner in accordance with local/national regulations. Dispose of container in accordance with local, regional or national regulations.

Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

In accordance with DOT  
Not regulated for transport

### Additional information

Other information : No supplementary information available.

### ADR

Transport document description :

### Transport by sea

Not regulated for transport

### Air transport

Not regulated for transport

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

OSHA 29 CFR 1910-1200 – Irritant.

TSCA – All components of this product are listed on TSCA Inventory.

CERCLA Reportable Quantity – Not applicable.

SARA Title III:

Section 302 Extremely Hazardous Substances – None.

Section 304 – Not applicable.

Section 311/312 – Immediate (acute) health hazard.

Section 313 – None.

RCRA – Refer to section 13.

California Proposition 65 Carcinogens: This product does not contain any chemicals known by the State of California to cause cancer.

California Proposition 65 Reproductive Toxins: This product does not contain any chemicals known by the State of California to cause reproductive harm.

### 15.2. International regulations

#### CANADA

WHIMS Classification – D2B

#### EU-Regulations

No additional information available

# COLPLY EF ADHESIVE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

### Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

**Rotterdam Convention (PIC) Annex III:** listed (Tributyl tin compounds (impurities) <2ppm)

### 15.2.2. National regulations

No additional information available

### 15.3. US State regulations

No additional information available

## SECTION 16: Other information

Revision date : 09/01/2016

Other information : None.

This Product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR.

SDS US (GHS HazCom 2012) - Custom

*This SDS contains all the information required by ANSI Z400.1 standard (United States), by regulation 29 CFR Part 1910-1200 of the Hazard Communication Standard of OSHA and is in accordance with DORS/86-66 of WHMIS (Canada).*

*The best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy of completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*