



4" WIDE MINIMUM ALSAN RS MEMBRANE STRIP APPLIED CENTERED OVER CRACK IN SUBSTRATE.

ACCEPTABLE ALSAN RS TRAFFIC SURFACING  
APPLIED CONTINUOUSLY OVER ALSAN  
RS233 MORTAR (TYP.)

ALSAN RS MORTAR APPLIED CONTINUOUSLY  
OVER ALSAN RS MEMBRANE.

GRIND & RECESS CONCRETE AS REQUIRED  
TO ALLOW FLUSH INSTALLATION OF ALSAN  
RS MEMBRANE, MORTAR & SURFACING.

ALSAN RS FIELD MEMBRANE CONTINUOUS  
OVER ALSAN RS MEMBRANE STRIP  
& CRACK IN SUBSTRATE.



310 QUADRIL DRIVE  
WADSWORTH, OHIO 44281  
(330) 334-0066  
**SOPREMA®**

## ALSAN RS TRAFFIC WATERPROOFING SYSTEM MOVING/NON-MOVING CRACK (1mm OR LESS)

REVISION (

ISSUE DATE  
11-5-2018

SCALE  
N.T.S.

DRAWN BY  
DRW

DRAWING NO.:  
**RS-RJ1A**

RS TR J01A