



NOTES:

1. SOPREMA DETAIL DRAWINGS: REFER TO SOPREMA AND OTHER RELATED PUBLISHED DOCUMENTATION, PRODUCT DATA SHEETS (PDS) AND SAFETY DATA SHEETS (SDS) FOR ADDITIONAL INFORMATION. ALL DETAIL DRAWINGS AND RELATED INSTALLATION GUIDELINES ARE PROVIDED BY SOPREMA FOR THE SOLE PURPOSE OF ISSUING A SOPREMA WARRANTY. ACCORDINGLY, THE DETAIL DRAWINGS ARE NOT OFFERED, AND SHOULD NOT BE CONSIDERED, AS A SUBSTITUTE FOR PROFESSIONAL DESIGN SERVICES.
2. SYSTEM USING ALSAN TRAFIK PU 215: AGGREGATE IS BROADCAST TO REFUSAL INTO THE BASE COAT.
3. SYSTEM USING ALSAN TRAFIK PU 211 AND 220: AGGREGATE IS BACK ROLLED INTO THE TOP COAT AT TIME OF TOP COAT APPLICATION.



US CORPORATE ADDRESS
310 QUADRAL DRIVE
WADSWORTH, OHIO 44281
www.soprema.us
Tel:330.334.0066

PROJECT:

TITLE: ALSAN TRAFIK PU DECK COATING,
PEDESTRIAN TRAFFIC,
ASSEMBLY

DRAWN BY: SOPREMA TECHNICAL SUPPORT. GGALLOWAY

NO.:

REVISION:

DATE:

DATE: 4.30.2020

SCALE: NTS

DRAWING NUMBER:

US.WLIQ.01.71

USAGE OF THIS DETAIL IS GOVERNED BY THE TERMS OF SERVICE FOR SOPREMA DETAILS.
PLEASE CONSULT THESE TERMS OF SERVICE PRIOR TO UTILIZING THIS DRAWING.